

INTRODUCTION

AIC MODEL SAFETY DATA SHEET **SDS FERTILISER GROUP 4**

This Safety Data Sheet applies exclusively to products manufactured or marketed by members of the Agricultural Industries Confederation. It does not apply to any other product of similar name or nature. The products covered will be clearly identified by the name of the marketer and/or manufacturer on the associated labels and/or documents. Qualifying product will be marked as follows:

> aic. SDS FERTILISER GROUP 4

Products in Group 4 are solid ammonium nitrate-based compound fertilisers (NPK, NP, NK) with not more than 70% ammonium nitrate. They are not capable of self sustaining decomposition ("cigar-burning")

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1 Identification of the Substance/Preparation

The company should state the trade nam

1.2 Use As a fertiliser

1.3 Company

Provide the company's name, address, telephone number and e-mail address of the competent person responsible for the Safety Data

1.4 Emergency Telephone

the emergency telephone number and specify if the number is available only during office hours.

2. HAZARDS IDENTIFICATION

2.1 Regulatory Classification

Neither ammonium nitrate nor these fertiliser preparations are classified as dangerous materials according to EC Directive 67/548/EEC or 1999/45/EC.

2.2 Physicochemical hazards

These fertilisers are not themselves combustible or flammable, but they can support combustion even in the absence of air.

2.3 Human Health

Products are of a low toxicity but prolonged skin or eye contact may cause some irritation

Ingestion: Small quantities are unlikely to cause toxic effects.

Large quantities may give rise to gastro-intestinal disorders and in extreme cases (particularly in children) formation of methaemoglobin ("blue baby" syndrome) and cyanosis (indicated by blueness around the mouth) may occur. No adverse long term effects are known.

Inhalation: Low toxicity dust but high concentration of air-borne material may cause irritation of the nose and upper respiratory tract with symptoms such as sore throat and coughing. Generally regarded as a nuisance dust with no specific official Occupational Exposure Limit (OEL). Recommend a total inhalable dust standard for nuisance dust of 10 mg/m³ as an 8 hour Time Weighted Average. See HSE Guidance Notes EH40/2005 and HSG 173

Molten material: Will cause burns and inhalation of decomposition

gases (e.g. in a fire) may cause serious delayed lung effects.

Fire and thermal decomposition products: Inhalation of decomposition gases, containing oxides of nitrogen and ammonia, can cause irritation and corrosive effects on the respiratory system. Some lung effects may be delayed.

2.4 Environment

cause adverse environmental impact such as eutrophication in confined surface waters or nitrate contamination. See Section 12.

These products may contain some or all of the following ingredients in addition to the ammonium nitrate. Ammonium sulphate, mono and di-ammonium phosphate, normal

(single) superphosphate, triple superphosphate, phosphate rock, potassium chloride (muriate of potash), potassium sulphate, calcium nitrate, inert fillers such as sand or limestone, calcium sulphate and coating materials, such as oil, amine, clay or talc., secondary nutrients and/or micro-nutrients.

Ingredient: Ammonium Nitrate (AN)

Chemical name: Ammonium nitrate Formula: NH₄ NO₃ EINECS: 229-347-8 CAS: 6484-52-2

4. FIRST AID MEASURES

4.1 Product

Skin contact: wash the affected area with soap and water

Eye contact: irrigate eyes with copious amounts of eyewash solution or water for at least 10 minutes. Obtain medical advice if symptoms persist.

Ingestion: do not induce vomiting. Rinse mouth with water. Give milk or water to drink. Obtain medical attention if more than small quantities have been swallowed.

Inhalation: remove from source of exposure to dust. Keep warm and at rest. Obtain medical advice if symptoms persist

4.2 Fire and Thermal Decomposition Products

Skin contact: wash copiously with cold water areas in contact with molten material. Seek medical advice.

Inhalation: remove from source of exposure to fumes. Keep warm and at rest, Give oxygen, especially if there is blueness around the mouth. Apply artificial respiration only if breathing fails. Provide

Kish Shah 24/1/09 23:31 Formatted: Left sh Shah 24/1/09 23 Deleted:

As this fertiliser contains nitrate and phosphate, heavy spillage may

3. COMPOSITION/INFORMATION ON INGREDIENTS

medical assistance and monitoring for at least 48 hours, as delayed pulmonary oedema may develop

FIRE-FIGHTING MEASURES 5.

When the fertiliser is not directly involved in the fire use the best means available to control the fire

When the fertiliser is involved:-Evacuate the area

- Avoid breathing the fumes. Wear an approved self-contained breathing apparatus when fighting a fire or when fumes are being emitted.
- Call the fire brigade.
- Fight the fire from upwind and from outside the buildings, if possible
- Open doors and windows to give maximum ventilation.
- Do not use chemical extinguishers or foams or attempt to smother the fire with steam or sand.
- Use plenty of water
- Where combustible material is the source of the fire, extinguish this source as a matter of priority.
- Do not allow molten fertiliser to run into drains
- If safe to do so prevent the contamination of the fertiliser by oil and other combustible materials.
- If fire run-off water enters any drain or water course, inform the appropriate water authorities immediately.

ACCIDENTAL RELEASE MEASURES 6.

6.1 Personal precautions Do not smoke. Avoid dust inhalation. Avoid contact with decomposition products. See also section 8

6.2 Environmental protection

Clean up spillage promptly. Sweep up and place in a clean appropriately labelled container. Do not allow to mix with sawdust and/or other combustible or organic substances. Inform the appropriate water authority in the event of accidental watercourse contamination.

6.3 Methods for cleaning up

Wash contaminated area with large quantities of water.

6.4 Disposal See sections 13 and 16.

7. HANDLING AND STORAGE

7.1 Handling

Avoid prolonged contact with skin.

Avoid excessive generation of dust.

Avoid contamination by materials such as diesel oil, grease and other combustible materials. Avoid unnecessary exposure to the atmosphere to prevent moisture

pick-up. Avoid application of heat.

7.2 Storage

The basic requirements are the avoidance of involvement in a fire or contamination

Locate away from sources of heat, fire or explosion

Keep away from combustible materials and chemical substances taking particular care on farms to ensure that it is not stored near straw, grain, diesel, etc

Ensure high standard of house-keeping in the storage areas. Do not permit smoking or the use of naked lights/flames in the storage area Ensure that any contaminated product or spillage is segregated from normal product and disposed of in conformity with section 13 and 16.

Buildings used for storage should be dry and well ventilated, stacks therein should be at least 1 metre from walls, eaves and beams. Further storage guidance is given in HSE Guidance IND (G)230L, EFMA Guidance and AIC Code of Practice, see Section 16.

EXPOSURE CONTROL/PERSONAL PROTECTION 8.

Note: limestone is a listed substance in Table 1 in EH40/2005.

8.1 Workplace Exposure Limits (WEL)

EH40/2005 Workplace Exposure Limits (published by HSE) specify for dust: TWA 10 mg/m3 (inhalable) TWA 4 mg/m3 (respirable)

8.2 Precautionary and engineering measures

Avoid high dust concentration and provide ventilation where necessary.

8.3 Personal Protection

Wear suitable gloves when handling the product over long periods. Use suitable dust respirator if dust concentration is high After handling product, wash hands and observe good hygiene practice

In the presence of thermal decomposition gases use self-contained breathing apparatus

PHYSICAL AND CHEMICAL PROPERTIES 9.

Appearance	White grey or brown granules or prills unless
	Deliberately coloured during manufacture.
Odour	Odourless.
pH water solution (100g/l)	Usually > 4.5.
Melting point	Depends on composition. May decompose
	Before melting160-170°C depending on moisture content
Boiling point	> 210°C (decomposes).
Explosive properties	Not explosive as per EEC test A14 (67/548/EEC).
	See section 10.4.
Bulk density	Normally between 900-1100 kg/m ³ .
Solubility in water	Soluble in water, extent depends on composition
	Most formulations are hygroscopic.

10. STABILITY AND REACTIVITY

10.1 Stability

Stable under normal conditions of storage, handling and use.

10.2 Conditions to Avoid

High temperature, contamination by incompatible/combustible materials, application of heat and confinement e.g. welding or hot work on equipment or plant which may have contained fertilise without first washing thoroughly to remove all fertiliser

10.3 Materials to Avoid

Combustible and other organic materials, reducing agents: acids, alkalis, metal powders, zinc, copper and their alloys/salts, chromates; chlorates and reducing agents.

10.4 Hazardous decomposition products Thermally decomposes when heated strongly with molten material starting to form between 160 - 170°C. On decomposition gases include water vapour and toxic fumes such as oxides of nitrogen, hydrogen chloride and ammonia. Decomposition is accelerated by a number of substances, see 10.3.

Liberates ammonia when in contact with alkalies eg Caustic Soda, Soda Ash.

Note:

The fertiliser has a high resistance to detonation. This resistance is

decreased by a number of factors such as the presence of contaminants and/or high temperature. Heating under strong confinement (eg in tubes or drains) may lead to

a violent reaction or explosion, especially if there is contamination by substances mentioned above.

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

Product toxicity will depend on the composition. Ammonium nitrate: Ammonium nitrate is harmless when handled correctly. LD 50 : 4 820 mg/kg rat, oral (RTECS). LD 50 : 2 460 - 2 950 mg/kg rat oral (OECD Guideline 401). May cause methæmoglobinæmia. See Section 2.3. Monoammonium phosphate: LD_{50} (oral, rat) > 2000mg/kg Diammonium phosphate: LD_{50} (oral, rat) > 2000mg/kg Potassium chloride or sulphate: LD₅₀ (oral, rat) > 2000mg/kg Calcium nitrate: LD50 (oral, rat) 2100mg/kg

11.2 Contact: Prolonged contact may cause irritation of the skin and mucous tissues

11.3 Inhalation: Prolonged exposure to dust may cause irritation When heated gives off toxic gases, see 2.3.

11.4 Ingestion: Small quantities unlikely to cause toxic effect. Large quantities may give rise to gastro-intestinal disorders, inducing headache, nausea, dizziness, vomiting. See 2.3.

11.5 Sensitisation: None reported.

11.6 Chronic or Long-term Effects: None reported.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ammonium nitrate: Low toxicity to aquatic life. TLM 96 between 10-100ppm

Other constituents.

Companies should include data as appropriate.

12.2 Mobility

Most of the components are soluble in water. The nitrate ion (NO³) is mobile. The ammonium ion (NH⁴⁺) is adsorbed by soil.

12.3 Persistence/Degradability

The nitrate ion is the predominant form of plant nutrition. It follows the natural nitrification/denitrification cycle to give nitrogen. Phosphates, whether water or citrate soluble, are translocated in the soil over very short distances and are then immobilised. The dissolved potassium ion in the soil solution is adsorbed by clay minerals; where these are absent in light soils part of the potassium may be leached.

12.4 Bio-accumulation

The product does not show any bio-accumulation phenomena.

12.5 Other Data

A high ammonium nitrate concentration in confined surface waters may induce proliferation of algae (eutrophication).

13. DISPOSAL CONSIDERATIONS

Depending on the degree and nature of contamination/physical deterioration and quality of the material, dispose of by use as a fertliser on farm, by spreading thinly on open ground or to an authorised waste facility. Take care to avoid the contamination of watercourses and drains. Inform the appropriate water authority in the event of accidental watercourse contamination.

For further guidance refer to: Guidance for the Disposal of AN Based Fertiliser Which Fails to Meet the Requirements of the Ammonium Nitrate Safety Regulations 2003, published by AIC. Measures should be taken to completely empty the bag of its contents, ensuring that residues of fertiliser do not contaminate the packaging during disposal (incineration, recycling, land filling etc).

14. TRANSPORT INFORMATION

14.1 UN classification

Classified as non-hazardous.

Do not transport with combustible materials, see 10.3 Ensure that the transport is clean before loading the product.

15. REGULATORY INFORMATION

15.1 EC Directives Regulation 2003/2003/EC relating to fertilisers, OJ 304/1 20.11.2003.

15.2 National Regulations

The Fertilisers Regulations 1991, SI No. 2197 (as amended in 1995 and 1998).

The EC fertilizers (England and Wales) Regulations 2006, SI No. 2486.

Control of Major Accident Hazards (COMAH) Regulations 1999 and Amendment Regulations 2005.

Notification of Installations Handling Hazardous Substances Regulations (1982) SI 1357 and (Amendment) Regulations 2002 (NIHHS).

16. OTHER INFORMATION

Sources of Data and References

Guidance for the Storage, Handling and Transportation of Solid Mineral Fertilizers (EFMA), 2007.

HSE Guidance IND (G) 230L - Storing and Handling Ammonium Nitrate.

AIC guidance: Code of Practice for the Storage, Handling and Transportation of Solid Ammonium Nitrate-Based Fertilisers, Fertiliser Manufacturers Association (UK), Rev 1, March 2000.

Guidance for the Disposal of AN Based Fertiliser Which Fails to Meet the Requirements of the Ammonium Nitrate Safety Regulations 2003, published by AIC.

Version 1...2009

This safety data sheet provides health and safety information. The product is to be used in applications consistent with best farming practice. Individuals handling this product should be informed under COSHH of the recommended safety precautions and should have access to this information. The product information in this data sheet is to the best of the AIC's knowledge correct as at the date of publication.

Neither the AIC nor the Manufacturer or Supplier accepts liability for any loss or damage (other than that arising from death or personal injury caused by negligence if proved) resulting from reliance on this information. Further information on individual products covered by this safety data sheet may be obtained from the Supplier or the Company whose name, address and telephone number will be found on the fertiliser container

Product Supplied by:

Safety Data Sheet Compiled by:

Agricultural Industries Confederation Confederation House East of England Showground Peterborough, PE2 6XE Tel: (01733) 385220 Fax: (01733) 385270